ZOLOTO®
VALVES

60 Years



Touching Lives Everyday.. Everywhere...

MAKE IN INDIA

Maximum Retail
PRICE LIST
Dt. 26.09.2026

ZOLOTO®
VALVES

Maximum Retail
Price List Dt. 26.09.2026

AN ISO 9001, 14001 & 45001 CERTIFIED COMPANY

I.B.R Certified

ISI Marked

Art. No.		Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1001		ZOLOTO Bronze Globe Valve (Screwed) HSN Code : 84819090	1/4	8	1,150	1 1/2	40	4,741
			3/8	10	1,150	2	50	6,915
			1/2	15	1,150	2 1/2	65	11,854
			3/4	20	1,658	3	80	19,737
			1	25	2,178	4	100	34,008
			1 1/4	32	3,595			
1001A		ZOLOTO Bronze Angle Globe Valve No.4 (Screwed) HSN Code : 84819090	DISCONTINUED					
1002		ZOLOTO Bronze Globe Valve No.5 (Screwed) HSN Code : 84819090	1/4	8	1,150	1 1/2	40	7,814
			3/8	10	1,231	2	50	13,163
			1/2	15	1,748	2 1/2	65	21,824
			3/4	20	2,853	3	80	32,190
			1	25	4,539			
			1 1/4	32	6,048			
1003		ZOLOTO Bronze Globe Valve No.8 (Flanged) Flanged Ends to BS 10 Table 'D' HSN Code : 84819090	DISCONTINUED					
1004		ZOLOTO Bronze Globe Valve (One Side Flanged) with PTFE Seating Flanged Ends to BS 10 Table 'D' HSN Code : 84812000	1/2	15	3,893			
			3/4	20	5,112			
			1	25	7,127			
			1 1/4	32	10,160			
			1 1/2	40	13,663			
			2	50	19,024			
1005		ZOLOTO Bronze Needle Valve (Screwed) HSN Code : 84812000	DISCONTINUED					
1006		ZOLOTO Bronze Gate Valve (Hex. Type) (Screwed) HSN Code : 84818030	1/4	8	1,175	1 1/2	40	6,422
			3/8	10	1,523	2	50	9,406
			1/2	15	1,684	2 1/2	65	16,347
			3/4	20	2,369	3	80	24,426
			1	25	3,274	4	100	47,357
			1 1/4	32	4,521	6	150	2,48,179

ZOLOTO®
VALVES

Maximum Retail
Price List Dt. 26.09.2026

AN ISO 9001, 14001 & 45001 CERTIFIED COMPANY

I.B.R Certified

ISI Marked

Art. No.		Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1007		ZOLOTO Bronze Gate Valve (Peg. Type) (Screwed) HSN Code : 84818030	1/4	8	1,175	1 1/2	40	6,422
			3/8	10	1,523	2	50	9,406
			1/2	15	1,684	2 1/2	65	16,347
			3/4	20	2,369	3	80	24,426
			1	25	3,274	4	100	47,357
			1 1/4	32	4,521			
1008		ZOLOTO Bronze Ball Valve (Screwed) HSN Code : 84818090	1/2	15	1,511	2 1/2	65	21,179
			3/4	20	2,286	3	80	30,709
			1	25	2,851	4	100	49,378
			1 1/4	32	5,551			
			1 1/2	40	7,868			
			2	50	12,397			
1008A		ZOLOTO Bronze Ball Valve - E Model (Screwed) HSN Code : 84818090	1/2	15	1,363			
			3/4	20	1,911			
			1	25	2,737			
			1 1/4	32	4,629			
			1 1/2	40	7,049			
			2	50	9,719			
1008B		ZOLOTO Forged Brass Ball Valve (Screwed) HSN Code : 84818090	1/4	8	674	1 1/2	40	3,751
			3/8	10	674	2	50	5,288
			1/2	15	691	2 1/2	65	11,199
			3/4	20	957	3	80	19,247
			1	25	1,514	4	100	29,904
			1 1/4	32	2,530			
1009		ZOLOTO Bronze Vertical Check Valve (Screwed) HSN Code : 84813000	1/2	15	1,071	2 1/2	65	9,815
			3/4	20	1,528	3	80	13,683
			1	25	2,134	4	100	22,400
			1 1/4	32	3,303			
			1 1/2	40	3,862			
			2	50	5,752			
1009A		ZOLOTO Forged Brass Multi Utility Check Valve (Screwed) HSN Code : 84813000	1/2	15	760			
			3/4	20	1,024			
			1	25	1,556			
			1 1/4	32	2,430			
			1 1/2	40	3,104			
			2	50	4,790			
1010		ZOLOTO Bronze Horizontal Check Valve (Screwed) HSN Code : 84813000	1/4	8	1,083	1 1/2	40	4,415
			3/8	10	1,083	2	50	6,434
			1/2	15	1,083	2 1/2	65	11,010
			3/4	20	1,551	3	80	18,308
			1	25	2,034	4	100	31,532
			1 1/4	32	3,334			

ZOLOTO®
VALVES

Maximum Retail
Price List Dt. 26.09.2026

AN ISO 9001, 14001 & 45001 CERTIFIED COMPANY

I.B.R Certified

ISI Marked

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1010A	 ZOLOTO Bronze Angle Type Lift Check Valve (Screwed) HSN Code : 84813000			**DISCONTINUED**			
1011	 ZOLOTO Bronze Horizontal Check Valve No.5 (Screwed) HSN Code : 84813000	1/4	8	1,097	1 1/2	40	7,445
		3/8	10	1,175	2	50	12,528
		1/2	15	1,666	2 1/2	65	20,783
		3/4	20	2,716	3	80	30,654
		1	25	4,318			
		1 1/4	32	5,759			
1012	 ZOLOTO Bronze Horizontal Check Valve No.8 (Flanged) Flanged Ends to BS 10 Table 'D' HSN Code : 84813000			**DISCONTINUED**			
1013	 ZOLOTO Bronze Horizontal Check Valve No.9 (Screwed) HSN Code : 84813000	1/4	8	1,610	1 1/2	40	7,510
		3/8	10	1,610	2	50	12,793
		1/2	15	2,408	2 1/2	65	23,268
		3/4	20	2,742	3	80	31,504
		1	25	4,624	4	100	56,324
		1 1/4	32	6,823			
1014	 ZOLOTO Bronze Horizontal Check Valve No.9 (Flanged) Flanged Ends to BS 10 Table 'F' HSN Code : 84813000	1/2	15	5,390	2 1/2	65	42,678
		3/4	20	6,461	3	80	51,525
		1	25	10,761	4	100	80,106
		1 1/4	32	14,345			
		1 1/2	40	18,206			
		2	50	29,586			
1018	 ZOLOTO Bronze Ferrule Cock (Medium) HSN Code : 84818020	1/4	8	1,020			
		3/8	10	1,076			
		1/2	15	1,186			
1019	 ZOLOTO Bronze Ferrule Cock (Heavy) HSN Code : 84818020	1/2	15	1,563			
		3/4	20	2,191			
		1	25	4,667			

ZOLOTO®
VALVES

Maximum Retail
Price List Dt. 26.09.2026

AN ISO 9001, 14001 & 45001 CERTIFIED COMPANY

I.B.R Certified

Marked

Art. No.		Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1019A		ZOLOTO Bronze Ferrule Cock (As Per IS 2692) HSN Code : 84818020	1/4	8	2,130			
			3/8	10	2,172			
			1/2	15	2,188			
			3/4	20	3,458			
			1	25	5,877			
1024A		ZOLOTO Forged Brass Ball Bib Cock with Hose Union (Chrome Plated) HSN Code : 84818020	1/2	15	870			
1031		ZOLOTO Bronze Union Bonnet Globe Valve (Screwed) HSN Code : 84818030	1/4	8	2,208	1 1/2	40	10,250
			3/8	10	2,208	2	50	16,191
			1/2	15	2,369	2 1/2	65	25,204
			3/4	20	3,764	3	80	35,264
			1	25	5,556	4	100	61,603
			1 1/4	32	7,866			
1032		ZOLOTO Bronze Union Bonnet Globe Valve (Flanged) Flanged Ends to BS 10 Table 'F' HSN Code : 84818030	1/2	15	6,631	2 1/2	65	48,390
			3/4	20	7,413	3	80	58,956
			1	25	10,574	4	100	95,488
			1 1/4	32	16,124			
			1 1/2	40	19,028			
			2	50	30,196			
1033		ZOLOTO Bronze Globe Valve (Screwed) HSN Code : 84818030	1/4	8	1,196	1 1/2	40	7,610
			3/8	10	1,196	2	50	10,641
			1/2	15	1,692	2 1/2	65	22,087
			3/4	20	2,385	3	80	29,572
IS 778 CM/L-9900049424			1	25	3,490	4	100	46,309
			1 1/4	32	5,459			
1034		ZOLOTO Bronze Globe Valve (Flanged) Flanged Ends to IS 778 HSN Code : 84818030	1/2	15	5,733	2 1/2	65	37,604
			3/4	20	6,985	3	80	48,976
			1	25	9,851	4	100	78,712
			1 1/4	32	14,661			
IS 778 CM/L-9900049424			1 1/2	40	17,202			
			2	50	25,315			
1035		ZOLOTO Bronze Gate Valve (Screwed) HSN Code : 84818030	1/4	8	1,336	1 1/2	40	7,669
			3/8	10	1,658	2	50	11,234
			1/2	15	1,931	2 1/2	65	17,342
			3/4	20	2,602	3	80	25,707
IS 778 CM/L-9900049424			1	25	4,053	4	100	48,527
			1 1/4	32	5,676			

ZOLOTO®
VALVES

Maximum Retail
Price List Dt. 26.09.2026

AN ISO 9001, 14001 & 45001 CERTIFIED COMPANY

I.B.R Certified

Marked

Art. No.		Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1035A		ZOLOTO Bronze Gate Valve, Class-2 (Screwed) HSN Code : 84818030	1/2	15	2,178	2 1/2	65	21,343
			3/4	20	2,873	3	80	29,882
			1	25	4,400	4	100	53,484
			1 1/4	32	5,917			
			1 1/2	40	8,499			
IS 778 CM/L-9900049424			2	50	12,895			
1035B		ZOLOTO Bronze Gate Valve with Rising Stem (Screwed) HSN Code : 84818030	1/2	15	2,706	2 1/2	65	25,784
			3/4	20	3,442	3	80	41,576
			1	25	4,831	4	100	72,234
			1 1/4	32	8,101			
			1 1/2	40	11,317			
			2	50	16,774			
1035C		ZOLOTO Bronze Gate Valve with Rising Stem Class-2 (Screwed) HSN Code : 84818030	1/2	15	3,053	2 1/2	65	31,729
			3/4	20	3,798	3	80	48,328
			1	25	5,241	4	100	79,613
			1 1/4	32	8,441			
			1 1/2	40	12,538			
			2	50	19,252			
1036		ZOLOTO Bronze Gate Valve (Flanged) Flanged Ends to IS 778 HSN Code : 84818030	1/2	15	5,982	2 1/2	65	38,235
			3/4	20	7,214	3	80	47,749
			1	25	10,603	4	100	75,246
			1 1/4	32	14,301			
IS 778 CM/L-9900049424			1 1/2	40	18,030			
			2	50	24,896			
1037		ZOLOTO Bronze Vertical Check Valve (Screwed) HSN Code : 84813000	1/2	15	1,342			
			3/4	20	1,748			
			1	25	2,639			
			1 1/4	32	3,664			
IS 778 CM/L-9900049424			1 1/2	40	4,401			
			2	50	7,258			
1038		ZOLOTO Bronze Horizontal Check Valve (Screwed) HSN Code : 84813000	1/2	15	1,427	2 1/2	65	18,782
			3/4	20	2,083	3	80	25,418
			1	25	3,250	4	100	39,805
			1 1/4	32	4,769			
IS 778 CM/L-9900049424			1 1/2	40	6,615			
			2	50	9,805			
1039		ZOLOTO Bronze Horizontal Check Valve (Flanged) Flanged Ends to IS 778 HSN Code : 84813000	1/2	15	6,089	2 1/2	65	32,718
			3/4	20	7,144	3	80	42,123
			1	25	9,851	4	100	67,691
			1 1/4	32	12,627			
IS 778 CM/L-9900049424			1 1/2	40	16,572			
			2	50	21,950			

ZOLOTO®
VALVES

Maximum Retail
Price List Dt. 26.09.2026

AN ISO 9001, 14001 & 45001 CERTIFIED COMPANY

I.B.R Certified

ISI Marked

Art. No.		Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1040A		ZOLOTO Bronze Compact Pressure Reducing Valve (Screwed) HSN Code : 84811000	2 1/2	65	30,957			
			3	80	47,055			
			4	100	95,570			
1040B		ZOLOTO Forged Brass Compact Pressure Reducing Valve (Screwed) HSN Code : 84811000	1/2	15	3,087			
			3/4	20	3,805			
			1	25	6,943			
			1 1/4	32	8,336			
			1 1/2	40	9,057			
			2	50	12,392			
1041 I.B.R		ZOLOTO Bronze Globe Steam Stop Valve (Screwed) HSN Code : 84818030	1/2	15	4,684			
			3/4	20	5,739			
			1	25	8,644			
			1 1/4	32	12,748			
			1 1/2	40	16,001			
			2	50	22,902			
1042 I.B.R		ZOLOTO Bronze Globe Steam Stop Valve (Flanged) Flanged Ends to BS 10 Table 'H' HSN Code : 84818030	1/2	15	10,597			
			3/4	20	11,835			
			1	25	15,816			
			1 1/4	32	22,160			
			1 1/2	40	26,538			
			2	50	35,703			
1043 I.B.R		ZOLOTO Bronze Horizontal Lift Check Valve (Screwed) HSN Code : 84813000	1/2	15	3,708			
			3/4	20	4,288			
			1	25	7,801			
			1 1/4	32	10,968			
			1 1/2	40	14,571			
			2	50	20,803			
1044 I.B.R		ZOLOTO Bronze Horizontal Lift Check Valve (Flanged) Flanged Ends to BS 10 Table 'H' HSN Code : 84813000	1/2	15	9,935			
			3/4	20	11,064			
			1	25	14,870			
			1 1/4	32	20,565			
			1 1/2	40	25,104			
			2	50	33,972			
1045 I.B.R		ZOLOTO Bronze Vertical Lift Check Valve (Screwed) HSN Code : 84813000			DISCONTINUED			

ZOLOTO® VALVES

Maximum Retail Price List Dt. 26.09.2026

AN ISO 9001, 14001 & 45001 CERTIFIED COMPANY

I.B.R Certified

I.B.R Marked

Art. No.		Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1046		ZOLOTO Bronze Vertical Lift Check Valve (Flanged) Flanged Ends to BS 10 Table 'H' HSN Code : 84813000			**DISCONTINUED**			
I.B.R								
1047		ZOLOTO Bronze Asbestos Packed Water Level Gauge (Screwed) HSN Code : 84818030			**DISCONTINUED**			
I.B.R								
1048		ZOLOTO Bronze Asbestos Packed Water Level Gauge (Flanged) Flanged Ends to BS 10 Table 'F' HSN Code : 84818030			**DISCONTINUED**			
I.B.R								
1049		ZOLOTO Bronze Sleeve Packed Water Level Gauge (Screwed) HSN Code : 84818030			**DISCONTINUED**			
I.B.R								
1050		ZOLOTO Bronze Sleeve Packed Water Level Gauge (Flanged) Flanged Ends to BS 10 Table 'H' HSN Code : 84818030	1/2 3/4	15 20	25,876 31,087			
I.B.R								
1052		ZOLOTO Bronze Parallel Slide Blow Off Valve (Flanged) Flanged Ends to BS 10 Table 'H' HSN Code : 84818030			**DISCONTINUED**			
I.B.R								
1053		ZOLOTO Bronze Y-Type Strainer (Screwed) S.S 304 Perforated Sheet Screen Ø1 mm HSN Code : 84818030	1/2 3/4 1 1 1/4 1 1/2 2	15 20 25 32 40 50	1,541 2,748 5,568 7,000 10,161 18,995			
I.B.R								

ZOLOTO®
VALVES

Maximum Retail
Price List Dt. 26.09.2026

AN ISO 9001, 14001 & 45001 CERTIFIED COMPANY

I.B.R Certified

I.B.R Marked

Art. No.		Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1053A		ZOLOTO Forged Brass Y-Type Strainer PN 25 (Screwed) S.S 304 Perforated Sheet Screen Ø1 mm HSN Code : 84818090	1/2	15	1,050			
			3/4	20	1,851			
			1	25	2,449			
			1 1/4	32	4,616			
			1 1/2	40	5,386			
			2	50	9,151			
1054		ZOLOTO Bronze Y-Type Strainer (Flanged) Flanged Ends to BS 10 Table 'H', S.S 304 Perforated Sheet Screen Ø1 mm HSN Code : 84818030	1/2	15	5,718			
I.B.R			3/4	20	8,320			
			1	25	12,735			
			1 1/4	32	17,133			
			1 1/2	40	26,318			
			2	50	39,837			
1055		ZOLOTO Bronze Thermodynamic Steam Trap (Screwed) S.S 304 Perforated Sheet Screen Ø0.5 mm HSN Code : 84818030						
I.B.R					**DISCONTINUED**			
1063		ZOLOTO Bronze Fusible Plug (One Piece Design) HSN Code : 84814000	1/2	15	1,571			
			3/4	20	1,641			
I.B.R			1	25	2,644			
1064		ZOLOTO Bronze Fusible Plug (Two Piece Design) HSN Code : 84814000	1/2	15	2,552			
			3/4	20	2,644			
			1	25	3,003			
			1 1/4	32	3,808			
			1 1/2	40	4,432			
I.B.R			2	50	6,472			
1064A		ZOLOTO Bronze Spare Cone for Fusible Plug Two Piece Design HSN Code : 84818030	1/2	15	1,565			
			3/4	20	1,601			
			1	25	1,971			
			1 1/4	32	2,685			
			1 1/2	40	2,808			
I.B.R			2	50	3,751			
1065		ZOLOTO Cast Iron Globe Steam Stop Valve Straight Pattern (Flanged) Flanged Ends to DIN 2533 PN 16 RF HSN Code : 84818030	1/2	15	3,270	2 1/2	65	12,792
			3/4	20	3,460	3	80	16,658
			1	25	3,919	4	100	21,764
			1 1/4	32	5,036	5	125	40,250
			1 1/2	40	6,941	6	150	51,179
I.B.R			2	50	8,935	8	200	71,670

ZOLOTO®
VALVES

Maximum Retail
Price List Dt. 26.09.2026

AN ISO 9001, 14001 & 45001 CERTIFIED COMPANY

I.B.R Certified

ISI Marked

Art. No.		Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1066		ZOLOTO Cast Iron Globe Steam Stop Valve Angle Pattern (Flanged) Flanged Ends to DIN 2533 PN 16 RF HSN Code : 84818030	1/2	15	3,270	2 1/2	65	12,792
I.B.R			3/4	20	3,460	3	80	16,658
			1	25	3,919	4	100	21,764
			1 1/4	32	5,036	8	200	71,670
			1 1/2	40	6,941			
			2	50	8,935			
1067		ZOLOTO Cast Iron Horizontal Lift Check Valve Straight Pattern (Flanged) Flanged Ends to DIN 2533 PN 16 RF HSN Code : 84813000	1/2	15	2,944	2 1/2	65	11,617
I.B.R			3/4	20	3,296	3	80	15,697
			1	25	3,845	4	100	20,750
			1 1/4	32	4,231	5	125	36,345
			1 1/2	40	6,438	6	150	44,390
			2	50	8,481	8	200	60,928
1068		ZOLOTO Cast Iron Horizontal Lift Check Valve Angle Pattern (Flanged) Flanged Ends to DIN 2533 PN 16 RF HSN Code : 84813000	1/2	15	2,944	2 1/2	65	11,617
I.B.R			3/4	20	3,296	3	80	15,697
			1	25	3,845	4	100	20,750
			1 1/4	32	4,231	8	200	60,928
			1 1/2	40	6,438			
			2	50	8,481			
1069		ZOLOTO Cast Iron Y-Type Strainer (Screwed) S.S 304 Perforated Sheet Screen Ø1 mm HSN Code : 84818030	1/2	15	583			
I.B.R			3/4	20	845			
			1	25	1,270			
			1 1/4	32	1,720			
			1 1/2	40	2,188			
			2	50	3,714			
1070		ZOLOTO Cast Iron Y-Type Strainer (Flanged) Flanged Ends to BS 10 Table 'F', S.S 304 Perforated Sheet Screen Ø1 mm HSN Code : 84818030	1/2	15	2,604	2 1/2	65	12,334
I.B.R			3/4	20	2,999	3	80	14,006
			1	25	3,191	4	100	20,661
			1 1/4	32	3,613			
			1 1/2	40	5,287			
			2	50	7,850			
1071		ZOLOTO Cast Steel Globe Steam Stop Valve (Flanged) Flanged Ends to DIN 2545 PN 40 HSN Code : 84818030	1/2	15	5,317	2 1/2	65	20,818
I.B.R			3/4	20	5,618	3	80	30,485
			1	25	6,955	4	100	38,657
			1 1/4	32	9,322	6	150	82,588
			1 1/2	40	10,393	8	200	1,79,376
			2	50	13,053			
1072		ZOLOTO Cast Steel Horizontal Lift Check Valve (Flanged) Flanged Ends to DIN 2545 PN 40 HSN Code : 84813000	1/2	15	4,923	2 1/2	65	19,518
I.B.R			3/4	20	5,207	3	80	25,832
			1	25	6,534	4	100	34,230
			1 1/4	32	8,271	6	150	76,107
			1 1/2	40	8,885	8	200	1,67,366
			2	50	12,259			

ZOLOTO®
VALVES

Maximum Retail
Price List Dt. 26.09.2026

AN ISO 9001, 14001 & 45001 CERTIFIED COMPANY

I.B.R Certified

ISI Marked

Art. No.		Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1073		ZOLOTO Cast Steel Y-Type Strainer (Flanged) Flanged Ends to BS 10 Table 'J', S.S 304 Perforated Sheet Screen Ø1 mm HSN Code : 84818030	1	25	7,152	4	100	38,380
I.B.R			1 1/4	32	9,058	6	150	65,796
			1 1/2	40	12,271			
			2	50	14,034			
			2 1/2	65	18,794			
			3	80	25,718			
1074		ZOLOTO Forged Steel Globe Valve, Class-800 (Standard Bore) HSN Code : 84818030	1/2	15	2,558			
I.B.R			3/4	20	2,934			
			1	25	4,456			
			1 1/4	32	7,709			
			1 1/2	40	9,069			
			2	50	12,418			
1074A		ZOLOTO Forged Steel Globe Valve, Class-800 (Full Bore) HSN Code : 84818030	3/8	10	2,558			
I.B.R			1/2	15	2,934			
			3/4	20	4,456			
			1	25	7,709			
			1 1/4	32	9,069			
			1 1/2	40	12,418			
1075		ZOLOTO Forged Steel Gate Valve, Class-800 (Standard Bore) HSN Code : 84818030	1/2	15	2,484			
I.B.R			3/4	20	2,899			
			1	25	4,365			
			1 1/4	32	8,562			
			1 1/2	40	10,074			
			2	50	13,375			
1075A		ZOLOTO Forged Steel Gate Valve, Class-800 (Full Bore) HSN Code : 84818030	3/8	10	2,484			
I.B.R			1/2	15	2,899			
			3/4	20	4,365			
			1	25	8,562			
			1 1/4	32	10,074			
			1 1/2	40	13,375			
1076		ZOLOTO Forged Steel Horizontal Lift Check Valve, Class-800 (Standard Bore) HSN Code : 84813000	1/2	15	2,046			
I.B.R			3/4	20	2,079			
			1	25	3,111			
			1 1/4	32	6,496			
			1 1/2	40	7,644			
			2	50	11,383			
1076A		ZOLOTO Forged Steel Horizontal Lift Check Valve, Class-800 (Full Bore) HSN Code : 84813000	3/8	10	2,046			
I.B.R			1/2	15	2,079			
			3/4	20	3,111			
			1	25	6,496			
			1 1/4	32	7,644			
			1 1/2	40	11,383			

ZOLOTO® VALVES

Maximum Retail Price List Dt. 26.09.2026

AN ISO 9001, 14001 & 45001 CERTIFIED COMPANY

I.B.R Certified

Marked

Art. No.		Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1077		ZOLOTO Cast Steel Gate Valve, Class-150 (Flanged) Flanged Ends as per ASME B16.5 Class-150 HSN Code : 84818030	1 1/2	40	13,691	6	150	62,185
I.B.R			2	50	17,697	8	200	92,031
			2 1/2	65	21,147			
			3	80	26,802			
			4	100	39,440			
			5	125	46,155			
1078		ZOLOTO Butterfly Valve (Wafer Type), PN 1.6 with S.G Iron Disc Body S.G Iron, Lever Operated, Nitrile / EPDM Rubber Lining, Seat Test Pressure 1.76 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, Neoprene / Viton / Silicon & Buna-N lining can also be provided at a nominal extra cost. HSN Code : 84818030	1 1/2	40	3,396			
IS : 13095 CM/L-9700112213			2	50	3,829			
			2 1/2	65	4,096			
			3	80	4,407			
			4	100	5,724			
			5	125	6,806			
			6	150	8,994			
1078A		ZOLOTO Butterfly Valve (Wafer Type), PN 1.6 with S.G Iron Disc Gear Operated Body S.G Iron, Nitrile / EPDM Rubber Lining, Seat Test Pressure 1.76 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, Neoprene / Viton / Silicon & Buna-N lining can also be provided at a nominal extra cost. *Note : Sizes above 300 mm are Non-ISI & Sizes above 400 mm are available in PN 1.0 rating only.* HSN Code : 84818030	8	200	21,350			
IS : 13095 CM/L-9700112213			10	250	34,753			
			12	300	41,342			
			14	350	56,809			
			16	400	84,311			
			18	450	84,652			
			20	500	1,22,388			
			24	600	1,44,934			
1078B		ZOLOTO Butterfly Valve (Wafer Type), PN 1.6 with S.S 304 Disc Body S.G Iron, Lever Operated, Nitrile / EPDM Rubber Lining, Seat Test Pressure 1.76 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, S.S 316 Disc, Neoprene / Viton / Silicon & Buna-N lining can also be provided at a nominal extra cost. HSN Code : 84818030	1 1/2	40	3,507			
IS : 13095 CM/L-9700112213			2	50	4,180			
			2 1/2	65	4,718			
			3	80	5,313			
			4	100	7,004			
			5	125	9,737			
			6	150	12,399			


Trees are the Earth's endless effort
to speak to the listening Heaven.


ZOLOTO's
continuous endeavour of
Tree Plantation, is for our Environment.

ZOLOTO® VALVES

Maximum Retail Price List Dt. 26.09.2026

AN ISO 9001, 14001 & 45001 CERTIFIED COMPANY

I.B.R Certified

ISI Marked

Art. No.		Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1078C		ZOLOTO **Butterfly Valve (Wafer Type), PN 1.6 with S.S 304 Disc Gear Operated** Body S.G Iron, Nitrile / EPDM Rubber Lining, Seat Test Pressure 1.76 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, S.S 316 Disc, Neoprene / Viton / Silicon & Buna-N lining can also be provided at a nominal extra cost. *Note : Sizes above 300 mm are Non-ISI & PN 1.0 rating only.* HSN Code : 84818030	8	200	25,338			
			10	250	41,945			
			12	300	50,727			
			14	350	64,244			
IS : 13095 CM/L-9700112213								
1078D		ZOLOTO **Butterfly Valve (Wafer Type), PN 1.0 with Pneumatic Actuator** Body S.G Iron, Pneumatic Actuator Operated, S.S 304 Disc, Nitrile / EPDM Rubber Lining, Seat Test Pressure 1.1 Mpa (Hyd.) Neoprene / Viton / Silicon & Buna-N lining, S.S 316 Disc & Limit Switch (Positioner) and Solenoid Device can also be provided at a nominal extra cost. HSN Code : 84818030	1 1/2	40	17,068			
			2	50	17,745			
			2 1/2	65	18,113			
			3	80	18,696			
			4	100	28,678			
			5	125	31,256			
			6	150	33,950			
			8	200	63,859			
1078F		ZOLOTO **Butterfly Valve (Wafer Type), PN 1.0 with Electrical Actuator** Body S.G Iron, Electric Actuator Operated, S.S 304 Disc, Nitrile / EPDM Rubber Lining, Seat Test Pressure 1.1 Mpa (Hyd.) Electrical Actuator with Input Voltage 230V AC (24V DC can also be provided on demand at a nominal extra cost). Neoprene / Viton / Silicon & Buna-N lining, S.S 316 Disc can also be provided at a nominal extra cost. HSN Code : 84818030	1 1/2	40	32,483			
			2	50	33,140			
			2 1/2	65	33,677			
			3	80	34,265			
			4	100	35,952			
			5	125	74,391			
			6	150	77,253			
			8	200	86,008			
			10	250	1,45,511			
			12	300	1,53,402			
			14	350	2,16,800			
1078G		ZOLOTO **Butterfly Valve (Wafer Type), PN 2.5 with S.G Iron Disc** Body S.G Iron, Lever Operated, Nitrile / EPDM Rubber Lining, Seat Test Pressure 2.75 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, Neoprene / Viton / Silicon & Buna-N lining can also be provided at a nominal extra cost. HSN Code : 84818030	1 1/2	40	3,645			
			2	50	4,097			
			2 1/2	65	4,430			
			3	80	4,829			
			4	100	6,277			
			5	125	7,248			
			6	150	9,804			

ZOLOTO®
VALVES

Maximum Retail
Price List Dt. 26.09.2026

AN ISO 9001, 14001 & 45001 CERTIFIED COMPANY

I.B.R Certified

ISI Marked

Art. No.		Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1078H		ZOLOTO Butterfly Valve (Wafer Type), PN 2.5 with S.G Iron Disc Gear Operated Body S.G Iron, Nitrile / EPDM Rubber Lining, Seat Test Pressure 2.75 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, Neoprene / Viton / Silicon & Buna-N lining can also be provided at a nominal extra cost. HSN Code : 84818030	8	200	23,244			
			10	250	37,320			
			12	300	44,260			
1078I		ZOLOTO Butterfly Valve (Wafer Type), PN 2.5 with S.S 304 Disc Body S.G Iron, Lever Operated, Nitrile / EPDM Rubber Lining, Seat Test Pressure 2.75 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, S.S 316 Disc, Neoprene / Viton / Silicon & Buna-N lining can also be provided at a nominal extra cost. HSN Code : 84818030	1 1/2	40	3,752			
			2	50	4,481			
			2 1/2	65	5,097			
			3	80	5,738			
			4	100	7,671			
			5	125	10,117			
			6	150	13,596			
1078J		ZOLOTO Butterfly Valve (Wafer Type), PN 2.5 with S.S 304 Disc Gear Operated Body S.G Iron, Nitrile / EPDM Rubber Lining, Seat Test Pressure 2.75 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, S.S 316 Disc, Neoprene / Viton / Silicon & Buna-N lining can also be provided at a nominal extra cost. HSN Code : 84818030	8	200	26,614			
			10	250	44,161			
			12	300	52,707			
1078K		ZOLOTO Butterfly Valve (Wafer Type), PN 1.6 with Electrical Actuator Body S.G Iron, S.S 304 Disc, Nitrile / EPDM Rubber Lining, Seat Test Pressure 1.76 Mpa (Hyd.) Electrical Actuator with Input Voltage 230V AC (24V DC can also be provided on demand at a nominal extra cost). Neoprene / Viton / Silicon & Buna-N lining, S.S 316 Disc can also be provided at a nominal extra cost. HSN Code : 84818030	1 1/2	40	32,831			
			2	50	33,555			
			2 1/2	65	34,148			
			3	80	34,794			
			4	100	72,598			
			5	125	75,335			
			6	150	78,485			
			8	200	1,03,023			
			10	250	1,49,684			
			12	300	1,58,341			

ZOLOTO®
VALVES

Maximum Retail
Price List Dt. 26.09.2026

AN ISO 9001, 14001 & 45001 CERTIFIED COMPANY

I.B.R Certified

Marked

Art. No.		Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1079A		ZOLOTO **Cast Iron Sluice Valve PN 1.0 (Flanged)** Hand Wheel Operated, Non-Rising Stainless Steel Stem, Bronze Body Seat Ring. Flanged Ends to IS 1538, Shell Test Pressure - 1.5 Mpa (Hyd.), Seat Test Pressure - 1.0 Mpa (Hyd.) Also available with Brass Stem, Pad Lock in all sizes and By-pass arrangement in sizes 200 mm & above at a nominal extra cost. *Note : Sizes above 300 mm are Non-ISI.* HSN Code : 84818030 IS : 14846 CM/L-9761093	2	50	9,946	24	600	6,63,039
			2 1/2	65	10,871			
			3	80	13,647			
			4	100	20,799			
			5	125	23,970			
			6	150	28,709			
			8	200	51,679			
			10	250	75,662			
			12	300	93,774			
			14	350	1,87,558			
			16	400	2,52,551			
			18	450	3,21,276			
1079B		ZOLOTO **Cast Iron Sluice Valve PN 1.6 (Flanged)** Hand Wheel Operated, Non-Rising Stainless Steel Stem, Bronze Body Seat Ring. Flanged Ends to IS 1538, Shell Test Pressure - 2.4 Mpa (Hyd.), Seat Test Pressure - 1.6 Mpa (Hyd.) Also available with Brass Stem, Pad Lock, Limit Switch in all sizes and By-pass arrangement in sizes 200 mm & above at a nominal extra cost. HSN Code : 84818030 IS : 14846 CM/L-9761093	2	50	10,420			
			2 1/2	65	12,678			
			3	80	15,937			
			4	100	22,898			
			5	125	28,500			
			6	150	35,190			
			8	200	57,353			
			10	250	84,432			
			12	300	1,08,175			
1079C		ZOLOTO **Cast Iron Sluice Valve PN 1.0 (Flanged) with Rising Stem** Hand Wheel Operated, Stainless Steel Stem, Bronze Body Seat Ring. Flanged Ends to IS 1538, Shell Test Pressure - 1.5 Mpa (Hyd.), Seat Test Pressure - 1.0 Mpa (Hyd.) Also available with Brass Stem all sizes and By-pass arrangement in sizes 200 mm & above at a nominal extra cost. HSN Code : 84818030	2	50	12,405			
			2 1/2	65	13,546			
			3	80	17,007			
			4	100	25,921			
			5	125	29,876			
			6	150	35,778			
			8	200	64,408			
			10	250	94,296			
			12	300	1,16,868			

ZOLOTO®
VALVES

Maximum Retail
Price List Dt. 26.09.2026

AN ISO 9001, 14001 & 45001 CERTIFIED COMPANY
I.B.R Certified
ISI Marked

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1079D 	ZOLOTO Cast Iron Sluice Valve PN 1.6 (Flanged) with Rising Stem Hand Wheel Operated, Stainless Steel Stem, Bronze Body Seat Ring. Flanged Ends to IS 1538, Shell Test Pressure - 2.4 Mpa (Hyd.), Seat Test Pressure - 1.6 Mpa (Hyd.) Also available with Brass Stem all sizes and By-pass arrangement in sizes 200 mm & above at a nominal extra cost. HSN Code : 84818030	2	50	12,877			
		2 1/2	65	15,356			
		3	80	19,297			
		4	100	28,023			
		6	150	42,258			
		8	200	70,082			
		10	250	1,03,068			
1080A 	ZOLOTO Stainless Steel CF8M (S.S 316) Three Piece Design Ball Valve, Class-150 (Screwed) HSN Code : 84818030	1/2	15	2,114			
		3/4	20	3,071			
		1	25	4,673			
		1 1/4	32	5,571			
		1 1/2	40	8,358			
		2	50	10,922			
1080B 	ZOLOTO Stainless Steel CF8M (S.S 316) Three Piece Design Ball Valve, Class-150 (Flanged) Flanged Ends as per ASME B16.5 Class-150 (Drilled) HSN Code : 84818030	1/2	15	4,743	3	80	35,912
		3/4	20	5,348	4	100	55,596
		1	25	7,679			
		1 1/4	32	9,852			
		1 1/2	40	12,847			
		2	50	18,692			
		2 1/2	65	27,851			
1081 	ZOLOTO Stainless Steel CF8 (S.S 304) Three Piece Design Ball Valve, Class-150 (Screwed) HSN Code : 84818030	1/2	15	2,003			
		3/4	20	2,559			
		1	25	4,219			
		1 1/4	32	5,276			
		1 1/2	40	6,816			
		2	50	9,388			
1081A 	ZOLOTO Stainless Steel CF8 (S.S 304) Three Piece Design Ball Valve, Class-150 (Flanged) Flanged Ends to ASME B16.5 Class-150 (Drilled) HSN Code : 84818030	1/2	15	3,834	3	80	31,664
		3/4	20	4,792	4	100	49,003
		1	25	7,096			
		1 1/4	32	9,154			
		1 1/2	40	12,142			
		2	50	17,308			
		2 1/2	65	24,906			

ZOLOTO®
VALVES

Maximum Retail
Price List Dt. 26.09.2026

AN ISO 9001, 14001 & 45001 CERTIFIED COMPANY

I.B.R Certified

Marked

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1082 	ZOLOTO Cast Iron Dual Plate (Wafer Type) Check Valve, PN 16 With S.S 304 Disc and Nitrile Rubber Lining, Shell Test Pressure - 24.50 kg/cm²g , Seat Test Pressure - 16 kg/cm²g HSN Code : 84813000	1 1/2	40	5,424	10	250	37,601
		2	50	6,177	12	300	53,771
		2 1/2	65	6,815			
		3	80	7,741			
		4	100	9,737			
		5	125	11,748			
		6	150	13,042			
		8	200	28,547			
1082A 	ZOLOTO Ductile Iron Dual Plate (Wafer Type) Check Valve, PN 16 With S.S 304 Disc and Nitrile Rubber Lining, Shell Test Pressure - 24 Bar, Seat Test Pressure - 17.6 Bar HSN Code : 84813000	1 1/2	40	5,448	10	250	37,784
		2	50	6,207	12	300	54,033
		2 1/2	65	6,848	14	350	68,845
		3	80	7,776	16	400	1,18,907
		4	100	9,784	18	450	1,52,938
		5	125	11,803	20	500	1,82,676
		6	150	13,103	24	600	2,65,258
		8	200	28,686			
1083  IS:5312 CM/L-9700117720	ZOLOTO Cast Iron Non-Return Valve PN 1.0 (Flanged) Swing Type with Nitrile Rubber Disc Facing, Flanged Ends to IS 1538 HSN Code : 84813000	2	50	5,665	8	200	44,214
		2 1/2	65	7,267	10	250	49,658
		3	80	10,697	12	300	62,639
		4	100	14,936			
		5	125	20,738			
		6	150	26,038			
1083A  IS:5312 CM/L-9700117720	ZOLOTO Cast Iron Non-Return Valve PN 1.6 (Flanged) Swing Type with Nitrile Rubber Disc Facing, Flanged Ends to IS 1538 HSN Code : 84813000	2	50	6,744	8	200	52,373
		2 1/2	65	8,939	10	250	57,090
		3	80	11,019	12	300	65,930
		4	100	15,402			
		5	125	23,668			
		6	150	29,295			
1083B  IS:5312 CM/L-9700117720	ZOLOTO Cast Iron Non-Return Valve PN 1.0 (with By-Pass Arrangement) (Flanged) Swing Type with Nitrile Rubber Disc Facing, Flanged Ends to IS 1538 HSN Code : 84813000	2	50	7,743	8	200	49,214
		2 1/2	65	9,346	10	250	54,659
		3	80	12,777	12	300	71,490
		4	100	17,014			
		5	125	22,818			
		6	150	28,116			
1083C  IS:5312 CM/L-9700117720	ZOLOTO Cast Iron Non-Return Valve PN 1.6 (with By-Pass Arrangement) (Flanged) Swing Type with Nitrile Rubber Disc Facing, Flanged Ends to IS 1538 HSN Code : 84813000	2	50	8,990	8	200	57,608
		2 1/2	65	11,187	10	250	62,328
		3	80	13,268	12	300	76,757
		4	100	17,648			
		5	125	25,917			
		6	150	31,543			

ZOLOTO®
VALVES

Maximum Retail
Price List Dt. 26.09.2026

AN ISO 9001, 14001 & 45001 CERTIFIED COMPANY

I.B.R Certified

ISI Marked

Art. No.		Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1084		ZOLOTO Cast Iron Y-Type Strainer, PN 10 (Flanged) Shell Test Pressure - 15 kg/cm²g, S.S 304 Perforated Sheet Screen Ø3 mm, Flanged Ends to BS 10 Table 'F' HSN Code : 84818030	1 1/2	40	3,675	8	200	45,099
			2	50	5,107	10	250	72,530
			2 1/2	65	7,149	12	300	99,572
			3	80	8,397	14	350	1,49,572
			4	100	11,257			
			5	125	21,835			
			6	150	22,538			
1084A		ZOLOTO Cast Iron Y-Type Strainer, PN 16 (Flanged) Shell Test Pressure - 24 kg/cm²g, S.S 304 Perforated Sheet Screen Ø3 mm, Flanged Ends to BS 10 Table 'F' HSN Code : 84818030	1 1/2	40	4,999	8	200	53,732
			2	50	6,500	10	250	81,898
			2 1/2	65	8,920			
			3	80	10,819			
			4	100	14,836			
			5	125	23,307			
			6	150	30,445			
1085		ZOLOTO Bronze Ball Valve with Integral Strainer (Screwed) HSN Code : 84818030	1/2	15	2,548			
			3/4	20	3,958			
			1	25	5,019			
1085A		ZOLOTO Bronze Ball Valve with Integral Strainer & Flare Nut (Mixed Ends) HSN Code : 84818030	1/2	15	3,488			
			3/4	20	3,931			
			1	25	4,224			
1085B		ZOLOTO Bronze Ball Valve with Flare Nut (Mixed Ends) HSN Code : 84818030	1/2	15	2,273			
			3/4	20	2,308			
			1	25	2,800			
1086		ZOLOTO Stainless Steel Thermodynamic Steam Trap (Screwed) Stainless Steel S.S 304 Perforated Sheet Screen Ø0.5 mm, Shell Test Pressure - 52 bar (Hyd.), Maximum Working Pressure - 31.6 bar (Steam) HSN Code : 84818030	1/2	15	2,394			
			3/4	20	2,581			
			1	25	2,774			

I.B.R

ZOLOTO®
VALVES

Maximum Retail
Price List Dt. 26.09.2026

AN ISO 9001, 14001 & 45001 CERTIFIED COMPANY

I.B.R Certified

I.B.R Marked

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1087	 ZOLOTO Bronze Double Regulating Balancing Valve (Screwed) with Nozzle HSN Code : 84818030	1/2	15	5,639			
		3/4	20	6,364			
		1	25	7,484			
		1 1/4	32	10,068			
		1 1/2	40	12,269			
		2	50	19,631			
1087A	 ZOLOTO Cast Iron Double Regulating Balancing Valve (Flanged) with Nozzle Flanged Ends to BS 4504 Section 3.2 PN 16 HSN Code : 84818030	2 1/2	65	14,887	10	250	1,24,718
		3	80	17,490	12	300	1,61,061
		4	100	26,020			
		5	125	37,084			
		6	150	50,284			
		8	200	95,088			
1088 I.B.R	 ZOLOTO Cast Steel Three Piece Design Ball Valve, Class-150 (Screwed) HSN Code : 84818030	1/2	15	1,696			
		3/4	20	2,248			
		1	25	3,968			
		1 1/4	32	4,112			
		1 1/2	40	5,578			
		2	50	8,970			
1089 I.B.R	 ZOLOTO Cast Steel Three Piece Design Ball Valve, Class-150 (Flanged) Flanged Ends to ASME B16.5 Class-150 (Drilled) HSN Code : 84818030	1/2	15	3,444	2 1/2	65	18,759
		3/4	20	4,432	3	80	24,449
		1	25	6,681	4	100	37,615
		1 1/4	32	7,527			
		1 1/2	40	9,636			
		2	50	15,641			
1090 I.B.R	 ZOLOTO Cast Iron Bucket Type Steam Trap (Screwed) HSN Code : 84818030	1/2	15	3,869			
		3/4	20	4,708			
		1	25	8,648			
		1 1/4	32	14,689			
		1 1/2	40	14,954			
		2	50	18,683			
1091 I.B.R	 ZOLOTO Cast Steel Sleeve Packed Water Level Gauge (Flanged) Flanged Ends to BS 10 Table 'J' HSN Code : 84818030	3/4	20	21,361			
1092 I.B.R	 ZOLOTO Cast Steel Parallel Slide Blow Off Valve (Flanged) Flanged Ends to BS 10 Table 'J' HSN Code : 84818030	1	25	16,762			
		1 1/4	32	23,567			
		1 1/2	40	28,966			
		2	50	34,958			

ZOLOTO®
VALVES

Maximum Retail
Price List Dt. 26.09.2026

AN ISO 9001, 14001 & 45001 CERTIFIED COMPANY

I.B.R Certified

ISI Marked

Art. No.		Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1093		ZOLOTO Bronze Landing (Fire Hydrant) Valve (Flanged) Inlet 80 mm & Outlet 65 mm, as per IS 5290, Flanged Ends to IS 1538 HSN Code : 84818030	3	80	44,175			
1093A		ZOLOTO Stainless Steel (S.S 304) Landing (Fire Hydrant) Valve (Flanged) Inlet 80 mm & Outlet 65 mm, as per IS 5290, Flanged Ends to IS 1538 HSN Code : 84818030	3	80	15,066			
1094		ZOLOTO Bronze Spring Loaded Safety Relief Valve, Open Discharge (Screwed) HSN Code : 84814000	1/2	15	4,418			
			3/4	20	5,036			
			1	25	7,248			
			1 1/4	32	9,719			
			1 1/2	40	14,403			
			2	50	18,727			
1094A		ZOLOTO Bronze Spring Loaded Safety Relief Valve, Enclosed Discharge (Screwed) HSN Code : 84814000	1/2	15	5,036			
			3/4	20	5,655			
			1	25	8,482			
			1 1/4	32	10,956			
			1 1/2	40	16,253			
			2	50	18,727			
1095		ZOLOTO Forged Brass Air Release Valve (Screwed) HSN Code : 84818090	1/2	15	1,236			
			3/4	20	1,754			
			1	25	1,826			
1096		ZOLOTO Ductile Iron Sluice Valve PN 1.6 (Flanged) Hand Wheel Operated, Non-Rising Stainless Steel Stem, Bronze Body Seat Ring, Flanged Ends to IS 1538, Shell Test Pressure - 2.4 Mpa (Hyd.), Seat Test Pressure - 1.6 Mpa (Hyd.) Also available with Brass Stem, Pad Lock, Limit Switch in all sizes and By-pass arrangement in sizes 200 mm & above at a nominal extra cost. HSN Code : 84818030	2	50	12,687			
			2 1/2	65	15,142			
			3	80	18,830			
			4	100	27,261			
			5	125	29,786			
			6	150	41,824			
			8	200	68,783			
			10	250	1,01,911			
			12	300	1,28,673			

IS : 14846
CM/L-9761093

ZOLOTO® VALVES

Valves with Additional Features
(Annexure 'A')

AN ISO 9001, 14001 & 45001 CERTIFIED COMPANY

I.B.R Certified

ISI Marked

S.No.	Particulars	Amount
1.	ZOLOTO Cast Iron Y-Type Strainer with Magnet	10% Extra
2.	ZOLOTO Butterfly Valve with S.S 304 Disc & Dual Plate Check Valve with S.S 316 Disc	5% Extra
3.	ZOLOTO Open Shut Indicator / Locking Arrangement (Flanged) For Article No. 1004, 1034 & 1036 (15 mm & above)	5% Extra
4.	ZOLOTO Open Shut Indicator with Locking Arrangement (Flanged) For Article No. 1004, 1034 & 1036 (15 mm & above)	7% Extra
5.	ZOLOTO Open Shut Indicator / Locking Arrangement (Screwed) For Article No. 1033, 1035 & 1035A (15 mm & above)	7% Extra
6.	ZOLOTO Open Shut Indicator with Locking Arrangement (Screwed) For Article No. 1033, 1035 & 1035A (15 mm & above)	10% Extra
7a.	ZOLOTO Limit Switch Arrangement on Butterfly Valve (40 mm to 300 mm)	₹ 4,505 Extra
7b.	ZOLOTO Limit Switch Arrangement on Butterfly Valve (350 mm)	₹ 5,045 Extra
8.	ZOLOTO Sluice Valve with Brass Stem	25% Extra
9.	ZOLOTO Sluice Valve with Extended Stem For Article No. 1079A, 1079B & 1096 (Extra Charges)	
	1.0 Metre ₹ 3,842 — 3.0 Metres ₹ 16,013 — 5.0 Metres ₹ 28,171	
	1.5 Metres ₹ 6,083 — 3.5 Metres ₹ 20,168 — 10 Metres ₹ 58,579	
	2.0 Metres ₹ 9,929 — 4.0 Metres ₹ 22,086	
	2.5 Metres ₹ 14,090 — 4.5 Metres ₹ 26,255	
10a.	ZOLOTO Solenoid (Device) for Butterfly Valve with Pneumatic Actuator	₹ 7,661 Extra
10b.	ZOLOTO Limit Switch (Position Indicator) for Butterfly Valve with Pneumatic Actuator	₹ 5,643 Extra
11.	ZOLOTO Control Panel with Sensor for Butterfly Valve with Electrical Actuator For Article No. 1078F & 1078K	
	Input & Output Volt of 230V AC / 24V DC ₹ 8,692 Extra	
	Input 230V AC & Output 24V DC ₹ 9,540 Extra	
12.	ZOLOTO Valves with PTFE Seating	10% Extra
13.	ZOLOTO Limit Switch for Sluice Valve PN 1.6 (Flanged) (ISI) For Article No. 1079B & 1096	
	50 mm ₹ 4,197 — 125 mm ₹ 5,282 — 300 mm ₹ 8,473 — 600 mm ₹ 12,292	
	65 mm ₹ 4,197 — 150 mm ₹ 5,282 — 350 mm ₹ 10,271	
	80 mm ₹ 4,317 — 200 mm ₹ 6,169 — 400 mm ₹ 10,271	
	100 mm ₹ 4,801 — 250 mm ₹ 7,865 — 450 mm ₹ 10,677	
	Note : For sizes above 300 mm, the pressure rating will be PN 1.0 (Non-ISI) For Article No. 1079A	
14a.	ZOLOTO Butterfly Valve (Wafer Type), PN 1.0 with Electrical Actuator For Article No. 1078F (40 mm to 300 mm)	
	Input Voltage - 24V DC	₹ 1,760 Extra
14b.	ZOLOTO Butterfly Valve (Wafer Type), PN 1.6 with Electrical Actuator For Article No. 1078K (40 mm to 300 mm)	
	Input Voltage - 24V DC	₹ 1,760 Extra

Special Notes

1. Flanged Valves are generally supplied UNDRILLED, unless & until specified by the buyer.
2. (a) Zoloto's Bronze & Brass Forged (All Waterline Non-Ferrous) Valves carry Lifetime Warranty against any manufacturing defect.
   (b) However, all Ferrous Valves irrespective of their application and Non-Ferrous Valves, which are meant to be used for steam application are guaranteed for free replacement against any manufacturing defects for 18 months from the date of invoice or 12 months from the date of installation, whichever ends earlier.
3. Each I.B.R Valve can be supplied with a test certificate on Form III C issued by the Director of Boilers, Punjab or any other inspecting authority duly recognized by the Indian Boiler Regulation.
4. Please insist for a Material / Test Certificate / Drawing(s) of the product(s) as these can very well be provided with the Goods.
5. Threads to NPT or any other standard can also be provided on customer's demand.
6. Valves with customer's Specifications / Drawings can also be supplied.
7. Maximum working temperature for I.B.R products in Bronze is 225°C, Cast Iron 220°C, Cast Steel 400°C, Forged Steel 425°C and Stainless Steel 450°C but for a detailed pressure / temperature rating of other "ZOLOTO" products, please refer our catalogue.
8. Valves are recommended only for those gases & fluids, which do not react with the material of construction of those specified Valves.
9. Gate, Globe, Check and Ball Valves with soldered ends are also available at a nominal extra price.
10. Article No. 1008 is also available with Pad Lock arrangement up to 50 mm at a nominal extra price.
11. Article Nos. 1001 to 1004, 1010, 1014, 1031 to 1034, 1071 can also be provided with Teflon Disc at a nominal extra price.
12. Globe & Check Valve (Horizontal) can also be provided with PTFE seating for Air & Gas application at a nominal extra price.
13. Cast Steel and Forged Steel Valves can also be provided with Stellited seating at a nominal extra price.
14. Line balancing facility is also available on demand & chargeable basis. Quote for the same can be provided by the Company as & when required by the Dealer / Consumer.
15. Following articles have been discontinued henceforth.
    1001A, 1003, 1005, 1010A, 1012, 1015, 1016, 1017, 1020, 1021, 1022, 1022A, 1023, 1024, 1025, 1026, 1027, 1028, 1029, 1030, 1040, 1045, 1046, 1047, 1048, 1049, 1051, 1052, 1055, 1056, 1057, 1058, 1059, 1060, 1061,1062, 1078E, 1079.
16. Our detailed Catalogue can also be provided on demand.
17. Owing to our ever continuous product development, dimensions, materials & any / all published literature or product(s) are subject to change / discontinue without any prior notice.
18. Gun Metal is just another type of Bronze which is simply a Copper based alloy with its chief alloying elements being Tin (Sn) - 4% to 6%, Zinc (Zn) - 4% to 6%, Lead (Pb) - 4% to 6% and Copper (Cu) as Remainder which is recommended to manufacture valves. In the earlier days this alloy was used for making primitive Barrels for Guns, hence the name stuck on & 'Gun Metal' just became colloquial & a commercially used name for it, in the Trade.
19. **S.G Iron (Spheroidal Graphite Iron) and D.I (Ductile Iron), both are synonymous terms** used for Casting Alloys of Iron & Carbon, wherein Carbon is present in Spheroidal or Nodular form.

Terms & Conditions

1. Prices listed are in Indian Rupees, F.O.R Jalandhar and inclusive of all packing & forwarding charges.
2. The GST @18% is inclusive in this Maximum Retail Price List.
3. We also reserve the right to execute any order in full or in part(s) according to our supply position or manufacturing capacity.
4. While taking delivery of the consignment from the carrier, please ensure that the actual weight of the consignment tallies with the one mentioned on the G.R / L.R. In case of any discrepancy, please insist upon an open delivery before lodging your claim with the carriers and obtaining a shortage certificate / survey report, at the earliest.
5. As each consignment contains a packing slip, complaint regarding shortage, damage & wrong supply if any, must be brought to our notice for verification within 10 days of taking delivery of the consignment. However, no complaint shall be entertained until the documents have been retired.
6. The prices & Government taxes / levies are subject to revision, without any prior notice & shall be charged, as prevailing at the time of despatch.
7. Orders placed directly or through any of our Sales Executives are subject to written confirmation from the Head Office.
8. Our responsibility ceases for any delay in supplies, loss or damage incurred to the goods due to War, Lock-out, Breakdown(s) Fire, Riots, Power Shortage, Acts of God, Natural calamity or any other contingencies beyond our control.
9. Goods would not be returned nor exchanged, once the supplies have been billed & executed.
10. Payment against our Invoice(s) may please be made through the mode of payment (Advance Cheque / D.D / NEFT / RTGS) as mutually agreed between us. We do not take responsibility for any Cash Payment(s) made by you.
11. Competent courts at Jalandhar alone, shall have jurisdiction over any dispute.
12. This Price List cancels & supercedes all our previous Price Lists.

Disclaimer
Due Diligence and Utmost Care has been taken while compiling the HSN Codes of the products.
However, legal opinion should essentially be taken from your consultant(s) before implementation of the same in your system of working.

Notes

Download PDF Catalogue

AN ISO 9001, 14001 & 45001
CERTIFIED COMPANY

www.zolotovalves.com

Manufacturers

ZOLOTO INDUSTRIES

Zoloto House, 11th Milestone, Lambra,
Nakodar Road, Jalandhar – 144 026
Punjab. INDIA

Phones
+91 181 4676666 (100 Lines)
+91 181 5096666

E-mail
sales@zolotovalves.com
corporate@zolotovalves.com